

**IN THE CLAIMS:**

***Kindly replace the claims of record with the following full set of claims:***

1. (Currently amended) A method for providing user data pertaining to a user of a mobile terminal to a recommender system of a consumer electronic device, the method comprising the steps of:

determining, by the mobile terminal, a current location of the mobile terminal, wherein said current location is determined after receiving a initiating signal, said initiating signal being one of a user input and a received signal, wherein said received signal causes said mobile terminal to execute the steps of:

recognizing, from the received signal, whether said determined location is outside a predefined home territory of the user; and

if it is recognized that the mobile terminal is outside the home territory, automatically and without intervention by the user other than moving the mobile terminal to a different location, initiating a timer for starting a first predetermined time,

wherein the determined current location changes in correspondence with movement of the mobile terminal, said current location comprising a region and a sub-region within the region, the region and sub-region being discernible by the mobile terminal from the signal, and wherein the step of starting a first predetermined time comprises the step of monitoring said signal to determine whether at least one of the region and the sub-region stays constant over said first predetermined time period, said monitoring step comprising the steps of:

monitoring said signal to determine whether the region stays constant over said first predetermined time period; and

monitoring said signal to determine whether the sub-region stays constant over a second predetermined time period;

saving, in the mobile terminal, an identifier of the determined location, based on a longevity of said terminal in an area proximate said current location; and

informing, by means of the mobile terminal, said recommender system of the determined location;

wherein said saving step comprises determining a length of time for which the terminal stays in a region, and said recommender system is arranged for proposing content related to said region only if the length of time is longer than a predetermined time period.

2. (Currently amended) The method of claim 1, wherein said mobile terminal further includes an input device, said input device providing means for providing said initiating signal.

3-5. (cancelled)

6. (Currently amended) The method of claim [[5]] 1, wherein, if it is determined that the region has stayed constant over said first predetermined time period, the saving step further comprises the step of saving the region as an identifier and the informing step comprises the step of informing the recommender system of said region.

7. (Previously presented) The method of claim 6, wherein, if it is determined that both the region and the sub-region have stayed constant over the first and second predetermined time periods respectively, the saving step further comprises the step of saving the sub-region as an identifier and the informing step comprises the step of informing the recommender system of said sub-region.

8. (Currently amended) The method of claim [[4]] 1, wherein the monitoring step comprises the steps of:

monitoring said signal to determine whether the region stays constant over said first predetermined time period; and

while the region monitoring determines that the region has stayed constant, monitoring the sub-region to measure for what length of time the sub-region stays constant, to detect any change from said sub-region to a new sub-region and to measure for what length of time the new sub-region stays constant.

9. (Currently amended) The method of claim 1, wherein the determining, saving and informing steps are initiated automatically by the mobile terminal without intervention by the user other than moving the mobile terminal to a different location.

10. (Currently amended) A mobile terminal for providing user data pertaining to a user of said mobile terminal to a recommender system of a consumer electronic device, the mobile terminal comprising:

a memory;

a transmitter;

a receiver configured for receiving a wireless signal;

a timer; and

a processor for:

determining a current location of the mobile terminal, wherein said current location is determined after receiving a initiating signal, said initiating signal being one of a user input and a received signal,

recognizing, from the received signal, whether said determined location is outside a predefined home territory of the user and, if it is recognized that the mobile terminal is outside the home territory, automatically and without intervention by the user other than moving the mobile terminal to a different location, starting a first predetermined time period as measured by means of said timer, wherein the current location changes in correspondence with movement of the mobile terminal, said current location comprising a region and a sub-region within the region, the region and sub-region being discernible from the received signal and for monitoring said signal to determine whether at least one of the region and the sub-region stays constant over said first predetermined time period, said monitoring comprising

monitoring said received signal to determine whether the region stays constant over a first predetermined time period; comprises

monitoring said received signal to determine whether the sub-region stays constant over a second predetermined time period;

saving an identifier of the determined location to said memory based on a longevity of said mobile terminal in an area proximate said current location; and

informing by means of said transmitter, said recommender system of the determined location;

wherein the process is arranged for determining a length of time for which the terminal stays in a region, and said recommender system is arranged for proposing content related to said region only if the length of time is longer than a predetermined time period.

11. (Currently amended) The mobile terminal of claim 10, wherein said mobile terminal further comprises an input device, said input device providing means for providing said initiating signal.

12-14. (Cancelled)

15. (Currently amended) The mobile terminal of claim [[14]] 10, the processor being further configured for, if it is determined that the region has stayed constant over said first predetermined time period, saving the region as an identifier and informing the recommender system of said region.

16. (Currently amended) The mobile terminal of claim 15, the processor being further configured for, if it is determined that both the region and the sub-region have stayed constant over the first and second predetermined time periods respectively, saving the sub-region as an identifier and informing the recommender system of said sub-region.

17. (Currently amended) The mobile terminal of claim ~~[[13]]~~ 10, the processor being further configured for monitoring said signal to determine whether the region stays constant over a first predetermined time period, and, while determining that the region has stayed constant, monitoring the sub-region to measure for what length of time the sub-region stays constant, to detect any change from said sub-region to a new sub-region and to measure for what length of time the new sub-region stays constant.

18. (Currently amended) The mobile terminal of claim 10, the processor being further configured for initiating said determining, saving and informing automatically without intervention by the user other than moving the terminal to a different location.

19. (Currently amended) The mobile terminal of claim 10, wherein said mobile terminal comprises a mobile phone.

20. (Cancelled)